

CITRUS JUICER





Internationally patented models









A heavy duty citrus juicer

Equipped with a sturdy and quiet asynchronous motor, the real commercial juicer #38 is built to last.

Thanks to its 3 removable squeezers, it extracts juice from all types of citrus fruits such as lemons, oranges and grapefruits.

Its body is inclined for a bette juice flow and its wide and high spout accepts all types of glasses.







- 1 Removable bowl
- 2 Inclined body
- **3** Aluminium base
- 4 Removable squeezers
- **5 Wide spout** for all types of glasses. Height: 135mm (5")
- 6 Asynchronous commercial motor
- 7 Removable drip tray

The professional art of juicing Since 1954

We have the juicer adapted to your needs, to make juice by the glass or in a jug.

Equipped with professional, robust and powerful motors, they are designed to quickly press all types of citrus.

They are very easy to clean: all parts in contact with food are removable.





Easy to use and clean

All parts in contact with fruits are removable, which allows a simple and quick cleaning.

- 1 Squeezer
- 2 Ornamental ring
- **3** Filter grid
- 4 Bowl

Delivered with 3 squeezers: limes, lemons, oranges and grapefruits and 1 cover



Safety, standards, hygiene

| In accordance with the following regulations | Machinery directive 2006 / 42 / EC |
|---|---|
| | Electromagnetic compatibility 2014 / 30 / EU |
| | "Low voltage" directive 2014 / 35 / EU |
| | RoHS directive 2011 / 65 / EU |
| | Regulation 1935 / 2004 / EC (contact with food) |
| | WEEE Directive 2012/19/EU |
| Harmonized European Standards | EN 1672-2+A1:2009 |
| | EN ISO 12100:2010 |
| | EN 60204-1+A1:2009 |
| | EN 60335-2-64:2004 Commercial electric kitchen machines |
| | CE Marking, UL (USA) and cUL (Canada), NSF (USA) |
| Thermal safety | Motor protected by internal thermal detector and overload protector |
| Electrical safety | All mechanical parts are ground connected |
| | Appliances are 100% tested after assembly |
| Acoustic Safety | Silent asynchronous motor |
| Hygiene | All removable parts can be put in a dishwasher or easily cleaned with hot soapy water |


Technical specifications

Motor

Single phase: 220-240 V - 50/60 Hz - 130 W - CE 100-120 V - 50/60 Hz - 155 W - CE, NSF, UL

Speed: 1 500 rpm (50 Hz) 1 800 rpm (60 Hz)





Shipping box

W: 255 mm (10")

D: 340 mm (13")

H: 400 mm (16")

Appliance

W: 170 mm (7") D: 303 mm (12") H: 350 mm (14")


Weight:

Weight: 5,2 Kg (11,5 lbs)

weight: 6 Kg (13,2 lbs)

PRODUCT: 2-YEAR WARRANTY | MOTOR: 5-YEAR WARRANTY







140-150 avenue Roger Salengro BP 80 067 69511 Vaulx-en-Velin Cedex (Lyon) FRANCE Tel: +33 472 37 35 29 Fax: +33 478 26 58 21 Email: santos@santos.fr www.santos.fr

Follow us on #santosaddict social networks





