

Food and BeverageSolutions Provider

COFFEE SHOP GRINDER #63







Internationally patented models








Exceptional performance

Fast, precise and quiet, this coffee grinder is the perfect appliance to grind large quantities of coffee. It will fit in every coffee shop, supermarket and roastery.

Thanks to its Ø120mm grinding discs and precise micrometric settings, it offers a high quality grinding adapted to all kinds of filtrations: espresso, filter, french press, turkish coffee...

Equiped with a powerful motor, it has an exceptional output (up to 120kg/h) and is adapted to an intensive use.







65 dBa



120 kg/h

- 1 1,2 kg (2,6lbs) hopper
- 2 Instructions for use
- 3 Hopper shutter
- 4 Bag holder accepting coffee bags from 250g to 1kg

 Maximum bag height: 400mm
- 5 Triple cut Ø 120mm grinding discs: high resistance, long lasting


6 Micrometric adjusting button

Extremely precise: from very fine to extra coarse

- 7 Vibrating plate: better distribution of ground coffee into the bag
- 8 Powerful and reliable commercial motor
- 9 On/Off switch
- **10 Removable** drip tray

Coffee grinder #63 output

Exceptional output, from 35 to 120kg/h, depending on the chosen grinding size.





Powerful and reliable

Powerful asynchronous commercial motor (1500W).

Extremely fast.

Adapted to intensive use.

Comfort of use

Extremely silent.

Accepts all kinds of coffee bags from 250g to 1kg.

Display of instructions for use

on the coffee grinder, ideal for self-service use.



DEMONSTRATION VIDEO

Precision and quality grinding

Micrometric grinding settings:

offers a great accuracy in the grinding choice.

Triple cut Ø 120mm grinding discs, resharpenable.

Perfect to make turkish coffee.



Safety, Standards, Hygiene

In accordance with the following regulations	Machinery directive 2006/42/EC
	Electromagnetic compatibility 2014/30/EU
	"Low voltage" directive 2014/35/EU
	RoHS directive 2011 / 65 / EU
	Regulation 10/2011/EC (contact with food)
	Regulation 1935 / 2004 / EC (Plastic in contact with food)
Harmonized European Standards	EN ISO 12100: 2010
	EN 60204-1 + A1: 2009
	EN 60335-2-64: 2004 Commercial electric kitchen machines
	CE Marking, UL (USA) et cUL (Canada), KC (Korea)
Electrical safety	On/Off interlock switch is waterproof
	All mechanical parts are ground connected
	Appliances are 100% tested after assembly
Thermal safety	Motor protected by internal thermal detector
Accoustic safety	Very silent and powerful asynchronous motor
Hygiene	All removable parts can be put in a dishwasher or easily cleaned with hot soapy water

Technical specifications


Motor


Single phase:

220-240 V-50/60 Hz-1500 W- CE 100-120 V-50/60 Hz-1500 W - CE, UL

Speed:

1500 rpm (50 Hz) 1800 rpm (60 Hz)






Appliance

W: 279 mm (11") D: 329 mm (13") H: 677 mm (27") Net weight: 40 Kg (88 lbs) Shipping box W: 500 mm (20")

H: 880 mm (35") Packed weight: 49 Kg (108 lbs)

D: 660 mm (26")

PRODUCT: 2-YEAR WARRANTY | MOTOR: 5-YEAR



SANTOS

140-150 avenue Roger Salengro BP 80 067 69511 Vaulx-en-Velin Cedex (Lyon) FRANCE

Tel: +33 472 37 35 29 Fax: +33 478 26 58 21 Email: santos@santos.fr

www.santos.fr









